

OFFICE OF THE REGISTRAR : BODOLAND UNIVERSITY

Debargaon, P.O. Rangalikhata
Kokrajhar – 783370, BTC, Assam.
bodolanduniv@gmail.com



Tel./Fax No. 03661-277183 (O)
Tel. No.
Mobile No.

F. No – 4/1/2010-DoNER(NEC)/B.3/ 1269

date- 20/12/2022

Notice Inviting Tender

Sealed Tenders are invited from reputed manufactures/authorized dealers/suppliers for Supply, Installation and Commissioning of training logistics equipments at NEC sponsored project of Bodoland University. Detailed specification of the items, terms & conditions etc are given below. Last date of submission of Tender with all relevant papers is 28/12/2022 up-to 12:00 noon to be submitted at Tender box of Bodoland University.

The tender should be submitted in one sealed envelope containing two separate envelopes i.e. Part –I TECHNICAL BID and Part –II FINANCIAL BID. The technical bid shall be opened on above mentioned date and time and the financial bid of only those bidders who qualify in technical bid shall be opened on the same date or at a later date which shall be intimated to the bidder whose technical bid are found to be valid. Detailed specification and any other special features along with company manuals, receipt of Tender fee deposited should be submitted with their Technical bid. Tentative cost is Rs. 35.00 lakh only.

The bidders are advised to visit the website www.buniv.edu.in for download the detail forms.

The tender fee for an amount of Rs. 4,000/- (non-refundable) and EMD 2% of total quoted amount (Re-fundable) should be deposited in the Bodoland University Account No. 31607155480, IFSC Code- SBIN0007379 by online mode. The receipts of the tender/EOI fee and EMD deposited should be submitted along with the technical bid. In case, if any Bandh/Holiday falls in any respect/sequence, the sequence will be held in the next working day.

The university authority reserves the right to reject or accept any one or all tender without assigning any reasons thereof.

Registrar

Copy to :-

1. The P.S to the V.C for kind appraisal to him.
2. The Finance Officer, i/c, for information.
3. Prof. Sandeep Das, P.I. NEC sponsored Project for information.
4. The System Administrator for upload in university website.
5. The Member Secretary, Purchase Committee for information.

Registrar

Sl. No	Name of equipment	Specifications
1	Sprinkler System	1.NITIN WIRES -5 Kg) 2. 16/240 V AC Programmeable Timer-5 Nos 3. Irrigation Pipe -100 mtrs, 4. 4 Way Hanging fogger (20 Nos) 5. Inlet water tank /screen filter (120 Mesh/130 Micron) with extra cartridge and one easy to clean valve solid filter cartridge -3 Nos 6. 1" X 10 CPVC Pipe -120 Nos 7. 1 HP Water Pump-3 Nos 2 HP Water Pump-2 Nos 8. 1.5" CPVC Socket-10 Nos 9. 1" CPVC Tee -45 10. 1.5" CPVC Tee-5 Nos 11.1" CPVC Ball Valve-7 12. 1" foot valve-3 13. Water tank (1000L)-1 Nos 14. Water Tank (500L)-3 Nos 15. 1.5" X 10 CPVC-10 Nos 16. 1" Elbow-90 17.1.5" Elbow-10 18.1" Socket-90 19.1.5" Ball Valve -5 20.1.5" Tank Nipple -6 21.1.5" Foot Valve -6 22. Tap Lane-6 23.50mm CPVC Socket-20 24.50mm Tank Nipple-10 25.2.5 " X 1" Socket -2 26. Amp Switch-5 27. Multistranded wire 4 mm-1 Coil 28. MS wire 1 mm- 2 coil 29. Cable trucking and ducting system -30 30. 10A and 20A Universal Twin Socket-2 31. 16A 3 PIN TOP-2 32. 32A Sp.B MCB-2 33. MCB Box-2 34. Cassing Pin-3 Pkt 35. PVC Gutka-1 Pkt 36. PVC Tape-4 37. Surface Box-3 38. Cover Frame-3 39. MS 1 sq. mm-1 Coil 40. Auto Sensor 41. Angle Club-4 42. Brush Socket-8 43. 1"-CPVC-Tee-4 44. 1" Ball Valve-4 45. 1" Nipple-2 46. Connection Pipe-3 47. 3/4" CPVC Pipe-4 48. 3/4 " Elbow -1 49. Renumeration to Mistiri

2	Humidifier with Controller	<ol style="list-style-type: none"> 1) Body Made (S.S. Body) 2) It is specially designed to create Humidity in a particular area in Green Houses, Tissue Culture, Labs, Pharmaceuticals, Packing, and Printing Industries etc. For Disinfection in Operation Theaters, Path Labs, Microbiology labs, Pharmaceutical industries in Production Departments and other R & D Laboratories 3) With Digital Humidity Controller with sensor 4) With Auto water fill capacity 5) Capacity: 5 liters
3	Grinder	<ol style="list-style-type: none"> 1) Many Tasks One Master- 12 Different Applications. 3 Impact Resistant Jars and 1 Food Processing Bowl 2) 100% Copper Motor For any issue contact 1800 1033 111 3) Technical Specification: Wattage - 1000 W ; Voltage - 230 V ; Frequency - 50 Hz 4) Both Citrus and Centrifugal Juicing Attachments. Overload protection for motor safety 5) 2 Speed Setting Pulse 6) Premium Black SS Finish. Safety lock for safe operation 7) Jar Quantities: Capacity of Bowl -3.5 L Capacity of Blender Jar -1.8 L 8) Capacity of Multipurpose Jar -1.2 L Capacity of Chutney Jar -0.5 L 9) In-Built Storage Drawer for blades and discs, 1. Kneading doughing blade 2 Slicing disc 3. Shredding disc 4. Grating disc are available in this drawer 10) No Nicks and cuts, Dedicated Juicer Assembly
4	Digital Balance	<p>Capacity: 220 g Minimum display: 0.001 gm Repeatability (standard deviation): $\sigma \leq 0.001g$ Linearity: $\pm 0.002g$ Pan size: 100 x 100mm Dimensions (approx.) : 170W×240D×75H mm Weight (approx.) : 2.2 kg Power requirements : AC adapter; 90V–264V, -15%–+10%, 50/60Hz Standard accessories: Simple windbreak (brown smoke color), Protective in-use cover Display: LCD</p>
5	Digital Thermometer	<p>Portable Temperature Indicator with temperature probe, battery operated. Digital Display Temperature range: Ambient to 1200°C</p>
6	Hygrometer	<ul style="list-style-type: none"> •Temp. Range : 0°C - 50°C •Temp. Accuracy $\pm 1^\circ\text{C}$ •Humidity range 10% - 99% RH •Humidity accuracy:- $\pm 5\%$ RH

7	BOD Incubator	<ul style="list-style-type: none"> • Size: 570 x550 x 875 mm (10 CU. Ft.) • Capacity: 280 liters. • Inner body is made of S.S. 304. • Outer Body made of M.S. Duly Powder Coated • Temp. Controlled by Microprocessor based PID controller. With an Accuracy of $\pm 0.5^{\circ}\text{C}$ • Temp. Range $+5^{\circ}\text{C}$ to 50°C • “Hermetically sealed” CFC Free Compressor of “Kirloskar” / Tecumseh with kit (Condensor, Fan, Motor, Compressor in 1 set) • The inner chamber is properly insulated with special PUF to prevent thermal losses. • Heating by Stainless Steel heaters with fins. • Full length inner view flexi glass door. • Lock & Key arrangement, • Caster wheel mounted cabinet for easy movability • With 2 No. Air Circulating Fan for uniform temperature. • Power supply 220 V 50Hz Single phase
8	Solar Dryer	<ul style="list-style-type: none"> • MATERIAL: fabricated with SS 202 Sheet metal Food Grade COATING: Coated with High Absorbing Selective coating, • TRAY: 8 NO Aluminum perforated Coated Food grade. Size 16” x 32” Capacity (per tray 3 to 4 kg.) • CHIMNEY: PVC PIPE 2 ft height for moisture removal. • FILTER: Industrial grade Dust Proof 3 nos at the bottom. • TOP COVER: Top Cover UV filters Poly Carbonate Sheet Unbreakable. • WHEEL: 4 Nos castor wheel for easy movement • DRYER CAPACITY: 25Kg • Operating Temperature- 60 to 65 C • WEIGHT: 60 KG • WARRANTY: ONE YEAR
9	Chuff Cutter	<p>Machine Feed : Grass Power Source: Electric Motor Power: 1-3 HP. Electric Motor: 2HP Type: Electric Automation Grade: Semi-Automatic Cutting Capacity: 400-600 kg/hr</p>
10	Air Conditioner	<ol style="list-style-type: none"> 1) Colour -white copper condenser 2)cooling capacity 5150watt compressor rotary 3)Stabilizer AC 4KV 4)higher AC mounting clamp 5)fitting charge 6)Indoor unit weight 12kg 7)Outdoor unit weight 41.6kg 8)10 years compressor warrenty 9)Condensor is enviromental friendly 10)Anti -corrosive coating on condenser and evaporator 11)Heavy duty cooling @ 52 degree celcius

		12)Power saving invertor technology 13) 3 Star and above 14) Split Type
11	pH Meter	pH Range: 0.00 to 14.00 pH pH Resolution : ± 0.01 pH pH Accuracy: ± 0.01 pH mV Range: 0 to + 1999Mv mV Accuracy: ± 1 mV Temperature Range: 0 to 100°C Temperature Accuracy: ± 1 °C Calibration Points: 2 points
12	Pickling Machine	Automation Grade: Semi-Automatic Material: Stainless Steel Capacity: 50 Kg/Hr Motor Power: 2 HP Material Grade: SS 304 Driven Type: Electric
13	UPS 30 KVA with 20 Batteries 100AH (3 Phase In and 3 Phase Out)	Input Capacity: 30 KVA Phase: 3 Phases + Neutral + Ground Voltage: 415AC +/-15% Frequency: 50/60Hz Output Voltage: 400/415V Voltage Regulation: +/-1% THDu: THD<1.5% (Linear Load), THD<6% (None Linear Load) Power Factor: 0.8 Crest: 3:1 Overload Capability: 110% for 1 hour; 125% for 10 minutes ;150% for1 minute; >150% for 200ms System Efficiency: Online mode: upto 93% ;ECO mode: upto 99% Display: 128X64 Graphics LCD & Mimic IP Class: IP20 Interface: Optional :Dry Contacts, SNMP Operation Temperature: 0~40°C Storage Temperature: -40~70°C Relative Humidity: 0~95%(Non - Condensing) Noise: 72dB @ 100% load, 68dB @ 45% load(1 Meter Away) Altitude of Operation: ≤ 1000 , Load Derated 1% per 100m from 1000m to 2000m Isolation Transformer: Inbuilt Dimension (W*D*H)(mm): 500 X 800 X 1080 Batteries 12v 100ah Exide X 20Nos. with Rack and Connector
14	Stabilizer 100 KVA	THREE PHASE 100KVA SCVS AIR-COOLED WITH INPUT RANGE 260-465V & OUTPUT 415V AC WITH BYPASS
15	Deep Freezer	Capacity: 300L and Above Temp. Range: -20°C Defrost Facility Type: Horizontal

RESPONSE FORM

The form should be typewritten in uppercase (or written in capital letters) and completed clearly and accurately ensuring that all questions are answered. The numbers below correspond to item numbers on the registration form.

SECTION 1: COMPANY DETAILS AND GENERAL INFORMATION

1. NAME OF COMPANY/INSTITUTION:

2. STREET ADDRESS:

3. P.O. BOX and MAILING ADDRESS:

4. TEL NO: _____ **6. E-MAIL ADDRESS:** _____

8. CONTACT NAME AND TITLE:

9. PARENT COMPANY (Full legal name):

10. SUBSIDIARIES, ASSOCIATES AND/OR OVERSEAS REPRESENTATIVE(S):
(Attach list, if necessary)

11a. NATURE OF BUSINESS (Tick one box only):

Manufacturer: **Trader:** **Authorized Agent:** **Consulting Company:**

Other (specify): _____

11b. TYPE OF BUSINESS:

Corporate/Limited: **Partnership:** **Government Agency:** **University:**

Other (specify): _____

12. YEAR ESTABLISHED: _____ **13. NUMBER OF FULL-TIME EMPLOYEES:** _____

14. TRADE LICENCE NUMBER: _____

TERMS AND CONDITIONS :-

GENERAL INFORMATION

The tender bids duly complete in all respects, along with the necessary documents should be submitted to the Registrar, Bodoland University. The Technical Bids so received, shall be opened on 28/12/2022 at 12.00 noon in the Office of the Registrar, Bodoland University in the presence of the representatives of the bidders. The Financial bid of the Bidders shall be opened on the same date or at a later date to be intimated to the bidders whose Technical Bids are found to be valid. Right to reject any or all Tenders, without assigning any reason thereof is reserved by the authority of Bodoland University.

Terms and Conditions of Supply:

1. All the manufacturers/ distributors should also give a brief profile about their company and the facilities available with them of the quoted items. Their turnover and important firms/ Government Institutes/ P.S.U. etc. to which they are supplying quoted items, should also be mentioned.

1. The last date and time for the acceptance of the bids is 28/12/2022 up-to 12:00 noon.

2. Suppliers should be submitted the following documents along with their quotations:

a. Technical Bid:

Cover-I

(a) Unconditional Covering Letter,

(b) The contractor's experience of successful execution of similar works having value mentioned in the N.I.T. The details of work order and work completion certificate from the executing officers may be furnished for establishing eligibility.

(c) PAN, GST Registration, Trade License, Bank balance sheet, experience certificate Income Tax Clearance Certificate, GST Registration Certificates etc.

(d) Tender documents.

(e) Tender fee deposited receipt.

(f) Non black listed certificate in stamp paper.

b. Financial Bid : The Tender document with Bill of Quantities, duly priced and the **Cover-II** enclosed set of Tender Drawings duly signed.

(c) Technical specifications offered by the Supplier.

(d) Technical compliance table

(e) Technical literature regarding the offered products including diagrams.

3. The rates should be mentioned in the Schedule attached with the Tender Document. Each page of the tender shall be signed in full and stamped with the seal by the supplier. The supplier must clearly state in what capacity he or she is signing the Tender.
4. The supplier shall submit the tender in two envelopes. The first envelope (Technical Bid) shall contain all the documents referred to in above and sealed. The second envelope (Commercial Bid) shall contain the Schedule, in which the supplier shall register the rates of supply. The second envelope shall also, likewise, be sealed. Both the envelope then should be put together, and should be sealed in an envelope on which the cut out slip provided as part of the tender document should be pasted, and should prescribe time and date. The Technical Bid shall be opened first to ensure that suppliers have submitted all the requisite documents. If the Technical Bids are not in order or are deficient in some respect, the commercial bids in respect of such tenders shall not be opened. The date and time of opening the financial bids shall be announced one day after opening all the Technical bids.
5. Supplier should read carefully all the instructions and terms and conditions, etc before registering rates in prescribed schedule of the tender. Taxes and duties etc. should be shown separately.
6. The Technical Documents shall be opened, at 12:30 P.M. on 28/12/2022 or on the next working day if the offices of the University remain closed due to any reason.
7. Technical specifications of the instruments/equipments are given separately.
8. The delivery and installation should be completed within 45 (forty five) days or as specified from placing of the order. No extension shall be granted to the contractors/suppliers for the period of delivery, under any circumstances.
9. If the supplier fails to deliver the article as per the delivery schedule, the University shall be free to procure the balance/undelivered supply, at the risk and cost of the supplier, from other such suppliers.
10. The goods, articles, materials supplied by the supplier shall be accepted after inspection by an officer authorized by the competent authority. No articles/materials which do not conform to the specifications laid down in the terms and conditions or damaged in transit shall be accepted.
11. The bills of the suppliers shall be paid by the University after all the materials/articles/equipments have been received and installed, inspected.
12. Supplier/Vendor must submit Compliance statement in tabular form comparing each specification of the quoted item with that given in the Tender Document
13. The bidder has to install all the required applications provided by the user and also has to provide at least 1 (one) day training to the user including their group.
14. This tender document is not transferable.

15. In the event of any breach of the terms and conditions of the supply, the University may terminate the contract placed with the supplier and forfeit the security deposit of the supplier.
16. The Bidder shall have to be an Original Equipment Manufacturer (OEM) certificate of the products.
17. The bidder should have average annual sales turnover of Rs.30.00 lakh or more during the last three financial years ending 31st March, 2022. Attach firm's last 3 years audited profit and loss Account balance sheet duly audited by C.A.
18. The quantity as mentioned may be increased or decreased at the time of placing Order as per requirement.
19. Bidders are advised to study all technical and commercial aspects, instructions, forms, terms and specifications carefully in the tender document. Failure to furnish all information required in the Tender Document or submission of a bid not substantially responsive to the Tender document in every respect will be at the bidder's risk and may result in the rejection of the bid.
- 20. If the Supplier/Firm could not meet up the standard of the work or not up to the satisfaction of the authority during execution and supply, the authority would not liable to release the payment for partially or whole of the work, as desired, whose decision would be the final. The Supplier/Firm should be bound to accept the decision without any claim thereof.**
21. The payment of bill against the supply work would be paid directly to the concerned firm by the NEC, Government of India or by the University, if the fund would be deposited by the NEC to the University. The University shall not be responsible in any manner for the payment against bill by the NEC, Govt. of India. The Supplier/Contractor/Firm should be bound to accept the decision without any claim thereof.
22. Any dispute between the Parties on matters concern shall be resolved by mutual discussion and legal recourse shall be only as last resort, in which case the matter shall be submitted for Arbitration subject to Kokrajhar Jurisdiction only.
23. Note:
 1. (a) Bidders are advised to read carefully the Terms and Conditions of supply before recording the rates in this Schedule. Bidder should sign all the relevant documents along with Tender documents and should be submitted with the technical bid. Before submission of the Tender, Bidder shall sign each page of the tender form/document and all of its relevant papers with date. The additional alternative and or subtractive clause (if any) shall also to be signed by the bidder, otherwise Bid documents may be treated as cancelled.
 - (b) No erasures or overwriting shall be allowed, unless they are authenticated under the full signature and the seal of the bidder.
 - (c) The University reserves the right to:

(i)Accept/reject any/all tenders without assigning any reason thereof.

(ii)Revise the quantities at the time of placing the order without change in the rate quoted by the bidder.

(iii)Add/modify/relax or waive any of the conditions stipulated in the tender document whenever deemed necessary.

(iv)Award the contract to one or more bidders for the items covered by the tender.

Declaration

1. I declare that all the terms and conditions stated in the Notice Inviting Tender are acceptable to me/us and I/We shall abide by the same in case the contract is awarded to me/us.
2. I also declare that the specification given would strictly be maintained by me/us.
3. I/we understand that non-fulfillment and/or partly fulfillment of specification as made is liable for penalty as deemed fit and necessary by the University authority.
4. All the particulars furnished by me/us in the bid are true to the best of my/our knowledge.
5. I/We will also abide by the conditions that should be stipulated during the period of contract.
6. The decision of the authority will be accepted by me/us during and after the bid evaluation process, without any assigning reason thereof.
7. The payment of bill against the supply work would be paid directly to the concerned firm by the NEC, Government of India or by the University, if the fund would be deposited by the NEC to the University. The University shall not be responsible in any manner for the payment against bill by the NEC, Govt. of India. The Supplier/Contractor/Firm should be bound to accept the decision without any claim thereof.

Date:

(Signature of the Bidder)

Name:

Place:

Contact Number:

Address:

Financial bid-

Specification should be as stipulated in technical part

	Particulars	Qty	Rate per unit	Amount in Rs including all taxes
1	Sprinkler System	1		
2	Humidifier with Controller	20		
3	Grinder	10		
4	Digital Balance	2		
5	Digital Thermometer	20		
6	Hygrometer	20		
7	BOD Incubator	2		
8	Solar Dryer	4		
9	Chuff Cutter	2		
10	Air Conditioner	4		
11	pH Meter	2		
12	Pickling Machine	1		
13	UPS 30 KVA with 20 Battries 100AH (3 Phase In and 3 Phase Out)	1		
14	Stabilizer 100 KVA	1		
15	Deep Freezer	1		
			Total Rs.	

Signature of supplier with seal

Registrar